

## REPORT DOCUMENTATION PAGE

0154

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and in the Office of Management and Budget, Paperwork Reduction Project (0704-0108), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED FINAL REPORT - 01 Jun 93 - 30 Sep 96	
4. TITLE AND SUBTITLE (AASERT-92) X-Rays from High Intensity Short Pulse Interactions			5. FUNDING NUMBERS  61103D 3484/TS	
6. AUTHOR(S) Professor Roger W. Falcone			7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Physics University of California at Berkeley Berkeley, CA 94720	
8. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Avenue Suite B115 Bolling AFB DC 20332-8050			9. PERFORMING ORGANIZATION REPORT NUMBER  10. SPONSORING/MONITORING AGENCY REPORT NUMBER  F49620-93-1-0356	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED			12b. DISTRIBUTION CODE	
<p>We demonstrated a novel sources of pulsed terahertz radiation and x-rays which have ultrashort pulse duration and high intensity; this source is based on emission from ultrashort, laser-heated gases and solids. We have examined the propagation of high intensity (up to <math>10^{19}</math> W/cm<sup>2</sup>) ultrashort (100 fs) laser pulses in dense gases; this work has application to a variety of studies involving high power laser pulses such as harmonic generation, x-ray lasers, and laser wakefield accelerators. We studied schemes for new x-ray lasers; they involve rapid recombination of highly ionized atoms (produced by multiphoton ionization) followed by lasing on Ly-<math>\alpha</math> x-ray transitions. We developed a new Thomson scattering technique using multiple, ultrashort laser pulses; these studies were done in multiphoton ionized plasmas of interest to the construction of new x-ray lasers. We have examined conditions for pumping recombination x-ray lasers using multiphoton ionized gases. We have examined the non-Maxwellian energy distributions in multiphoton ionized gases. Finally, we examined both the coherent and incoherent emission from short-pulse laser excited clusters. This latest work has established that sub-wavelength sized clusters can be a source of intense plasma emission, and that clusters are a source of harmonics from laser-matter interaction.</p>				
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT	

19970407 012

## **November 1996 Final Technical Report**

**AASERT-92 grant**

**"X-Rays from High-Intensity, Short-Pulse Interactions"**

**No. F49620-93-1-0356**

**award period covered 6/1/93 - 9/30/96**

**Professor Roger W. Falcone  
Principal Investigator**

**Department of Physics  
University of California at Berkeley  
Berkeley, California 94720**

**510-642-3316**

### Summary of work done

During the contract period we made significant progress in areas of high-intensity laser interaction with plasmas. The students involved included:

Susanna Gordon (through 9/93)

Ernest Glover (through 11/93)

Alan Sullivan (through 9/94)

Evert Lipman (through 5/94)

Tom Donnelly (through 6/96)

David Ponce-Marquez (through 9/96)

All of these students are US citizens, have satisfactory records, and at the time of support, graduate students in the Ph.D. program in the Physics Department at UC Berkeley. I used the grant primarily to support Tom Donnelly, but to augment the fellowships and related support of the other students. Essentially, the grant has been used to support 1.5 FTE graduate student.

#### Our work involved

- development of ultrashort pulse x-ray sources
- generation of subpicosecond, unicycle electromagnetic pulses
- propagation of intense, short pulse lasers in plasmas
- new x-ray lasers
- new high-intensity, short pulse lasers
- diagnosis of multiphoton ionized plasmas
- interaction of intense short pulse lasers with clusters

Our work resulted in twenty-two publications which are listed below; five of these have not previously been listed on a technical report. We demonstrated a novel sources of pulsed terahertz radiation and x-rays which have ultrashort pulse duration and high intensity; this source is based on emission from ultrashort, laser-heated gases and solids. We have examined the propagation of high intensity (up to  $10^{19}$  W/cm<sup>2</sup>) ultrashort (100 fs) laser pulses in dense gases; this work has application to a variety of studies involving high power laser pulses such as harmonic generation, x-ray lasers, and laser wakefield accelerators. We studied schemes for new x-ray lasers; they involve rapid recombination of highly ionized atoms (produced by multiphoton ionization) followed by lasing on Ly- $\alpha$  x-ray transitions. We developed a new Thomson scattering technique using multiple, ultrashort laser pulses; these studies were done in multiphoton ionized plasmas of

interest to the construction of new x-ray lasers. We have examined conditions for pumping recombination x-ray lasers using multiphoton ionized gases. We have examined the non-Maxwellian energy distributions in multiphoton ionized gases. Finally, we examined both the coherent and incoherent emission from short-pulse laser excited clusters. This latest work has established that sub-wavelength sized clusters can be a source of intense plasma emission, and that clusters are a source of harmonics from laser-matter interaction.

### Publications acknowledging AFOSR support

1. H. Hamster, A. Sullivan, S. Gordon, W. White, R.W. Falcone, "Subpicosecond, Electromagnetic Pulses from Intense Laser-Plasma Interaction," *Phys. Rev. Lett.* **71**, 2725 (1993).
2. R.W. Falcone, S.P. Gordon, H. Hamster, A. Sullivan, "X-Rays from High-Intensity, Short-Pulse Laser Interaction with Solids," in *Laser Ablation: Mechanisms and Applications II*, J.C. Miller and D. B. Geohegan, eds. (AIP, New York, 1994) pp. 529-533.
3. S.P. Gordon, R. Sheppard, T. Donnelly, D. Price, B. White, A. Osterheld, H. Hamster, A. Sullivan, R.W. Falcone, "Short Pulse X-Rays from Porous Targets," in *Shortwavelength V: Physics with Intense Laser Pulses*, M.D. Perry and P.B. Corkum, eds. (OSA, Washington, DC, 1993) pp. 203-205.
4. A. Sullivan, S. Gordon, H. Hamster, H. Nathel, R.W. Falcone, "Propagation of Intense, Ultrashort Laser Pulses in Plasmas," in *Shortwavelength V: Physics with Intense Laser Pulses*, M.D. Perry and P.B. Corkum, eds. (OSA, Washington, DC, 1993) pp. 40-44.
5. H. Hamster, A. Sullivan, S. Gordon, B. White, R.W. Falcone, "Subpicosecond, Far-Infrared Emission from High-Intensity Laser Plasmas," in *Shortwavelength V: Physics with Intense Laser Pulses*, M.D. Perry and P.B. Corkum, eds. (OSA, Washington, DC, 1993) pp. 62-65.
6. T.E. Glover, J.K. Crane, M.D. Perry, R.W. Falcone, "Electron Energy Distributions in Plasmas Produced By Intense Short Pulse Lasers," in *Shortwavelength V: Physics with Intense Laser Pulses*, M.D. Perry and P.B. Corkum, eds. (OSA, Washington, DC, 1993) pp. 189-191.
7. D.C. Eder, G.L. Strobel, R.A. London, M.D. Rosen, R.W. Falcone, S.P. Gordon, "Photo-Ionized Inner-Shell X-Ray Lasers," in *Shortwavelength V: Physics with Intense Laser Pulses*, M.D. Perry and P.B. Corkum, eds. (OSA, Washington, DC, 1993) pp. 220-222.
8. R.W. Falcone, S.P. Gordon, H. Hamster, A. Sullivan, T. Donnelly, "X-Ray Radiation by Ultrashort Pulse Lasers," in *Ultrashort Wavelength Lasers II*, S. Suckewer, ed. (SPIE, Bellingham, 1994) Vol. 2012, pp. 242-245.
9. S.P. Gordon, T. Donnelly, A. Sullivan, H. Hamster, R.W. Falcone, "X-Rays from Microstructured Targets Heated by Femtosecond Lasers," *Opt. Lett.* **19**, 484 (1994).
10. M.M. Murnane, H.C. Kapteyn, S.P. Gordon, R.W. Falcone, "Ultrashort X-Ray Pulses," *Appl. Phys. B* **58**, 261 (1994)

11. H. Hamster, A. Sullivan, S. Gordon, R.W. Falcone, "Short-Pulse Terahertz Radiation from High-Intensity Laser-Produced Plasmas," *Phys. Rev. E* **49**, 671 (1994).
12. D.C. Eder, P. Amendt, L.B. DaSilva, R.A. London, B.J. MacGowan, D.L. Matthews, B.M. Penetrante, M.D. Rosen, S.C. Wilks, T.D. Donnelly, R.W. Falcone, G.L. Strobel, "Tabletop X-Ray Lasers," *Phys. Plasmas* **1**, 1744 (1994).
13. T.E. Glover, T.D. Donnelly, E.A. Lipman, A. Sullivan, R.W. Falcone, "Subpicosecond Thomson Scattering Measurements of Optically Ionized Helium Plasmas," *Phys. Rev. Lett.* **73**, 78 (1994). [erratum: *Phys. Rev. Lett.* **73**, 2939 (1994)]
14. A. Sullivan, H. Hamster, S.P. Gordon, H. Nathel, R.W. Falcone, "Propagation of Intense, Ultrashort Laser Pulses in Plasmas," *Opt. Lett.* **19**, 1544 (1994).
15. T.D. Donnelly, T.E. Glover, M. Hofer, E.A. Lipman, R.W. Lee, L. Da Silva, D.C. Eder, S. Mrowka, R.W. Falcone, "Plasmas for Short-Wavelength Lasers Driven by Ultra-Short, High-Intensity Laser Pulses," in *X-Ray Lasers 1994*, D.C. Eder and D.L. Matthews, eds. (AIP, New York, 1994) Vol. 332, pp. 106-112.
16. T.D. Donnelly, R.W. Lee, R.W. Falcone, "Dynamics of Optical-Field Ionized Plasmas for X-Ray Lasers," *Phys. Rev. A* **51**, R2691 (1995).
17. T.E. Glover, J.K. Crane, M.D. Perry, R.W. Lee, R.W. Falcone, "Measurement of Velocity Distributions and Recombination Kinetics in Tunnel Ionized Helium Plasmas," *Phys. Rev. Lett.* **75**, 445 (1995).

**The following papers were not included in previous reports:**

18. T. Ditmire, T. Donnelly, R.W. Falcone, M.D. Perry, "Strong X-Ray Emission from High-Temperature Plasmas Produced by Intense Irradiation of Clusters," *Phys. Rev. Lett.* **75**, 3122 (1995).
19. T.D. Donnelly, T. Ditmire, M.D. Perry, R.W. Falcone, "Short Wavelength Generation from Atomic Clusters," in *Atomic Processes in Plasmas: Tenth Topical Conference*, A.L. Osterheld and W.H. Goldstein, eds. (AIP, New York, 1996) pp. 75-82.
20. T.D. Donnelly, L. Da Silva, R.W. Lee, S. Mrowka, M. Hofer, R.W. Falcone, "Experimental and Theoretical Investigation of Recombination-Pumped X-Ray Lasers Driven by High-Intensity, Short-Pulse Lasers," *J. Opt. Soc. Am. B* **13**, 185 (1996).
21. T.D. Donnelly, T. Ditmire, K. Neuman, M.D. Perry, R.W. Falcone, "High-Order Harmonic Generation in Atom Clusters," *Phys. Rev. Lett.* **76**, 2472 (1996).
22. T. Ditmire, T. Donnelly, A.M. Rubenchik, R.W. Falcone, M.D. Perry, "Interaction of Intense Laser Pulses with Atomic Clusters," *Phys. Rev. A*, **53**, 3379 (1996).